```
public function toBroadcast(object $notifiable):
BroadcastMessage
{
 return new BroadcastMessage([
  ‘order_id’ => $this->order->id,
  ‘amount’ => $this->order->amount,
 ]);
}
```

All broadcast alerts have been queued for transmission. You may utilize the **`onConnection`** and **`onQueue`** methods of the **`BroadcastMessage`** to configure the queue connection or queue name that is used to queue the broadcast operation:

```
return (new BroadcastMessage($data))
     ->onConnection(‘sqs’)
     ->onQueue(‘broadcasts’);
```

In addition to the data you supply, all broadcast notifications feature a **`type`** field that contains the notification’s complete class name. If you want to change the notification **`type`**, add a **`broadcastType`** function on the notification class:

```
public function broadcastType(): string
{
 return ‘broadcast.message’;
}
```

Notifications will be broadcast on a private channel using the **`notifiable.id`** convention. As a result, if you send a notice to an **`App\Models\User`** instance with an ID of 1, it will be broadcast on the **`App.Models.User`**. There is just one private channel. You can simply listen for alerts on a channel while using Laravel Echo by utilizing the **`notification`** method:

```
Echo.private(‘App.Models.User.’ + userId)
 .notification((notification) => {
  console.log(notification.type);
 });
```

You may implement a **`receivesBroadcastNotificationsOn`** method on the notifiable entity to control which channel an entity’s broadcast notifications