```php
namespace App\Models;

class Product extends Model
{
  use LogsActivity;

  public function getActivitylogOptions(): LogOptions
  {
    return LogOptions::defaults()
      ->logFillable();
  }
}
```

We need to use the `LogsActivity` trait. In the `getActivitylogOptions` you can customize how the package should log your activity. In this case, I'm using all the default options, and it logs every change that affects some of the columns in the `$fillable` array. You can read more about log options here.

As a result, we have a table such as this:

id	log_name	description	subject_type	event	subject_id	causer_type	causer_id	properties	batch_uuid	created_at	updated_at
397	default	created	App\Models\Transaction	created	350	NULL	NULL	{"attributes": {"revenue": {"amount": "6886",…	NULL	2024-0…	2024-01…
398	default	created	App\Models\Webhook	created	13	NULL	NULL	{"attributes": {"url": "https://abernathy.org/…	NULL	2024-0…	2024-01…
399	default	created	App\Models\Webhook	created	14	NULL	NULL	{"attributes": {"url": "http://dibbert.com/eni…	NULL	2024-0…	2024-01…
400	default	created	App\Models\Product	created	36	NULL	NULL	{"attributes": {"url": "http://www.miller.com/…	NULL	2024-0…	2024-01…
401	default	created	App\Models\Product	created	37	NULL	NULL	{"attributes": {"url": "http://zemlak.com/est-…	NULL	2024-0…	2024-01…
402	default	created	App\Models\Product	created	38	NULL	NULL	{"attributes": {"url": "http://grady.info/et-s…	NULL	2024-0…	2024-01…
403	default	created	App\Models\Product	created	39	NULL	NULL	{"attributes": {"url": "http://www.quigley.com…	NULL	2024-0…	2024-01…
404	default	created	App\Models\Product	created	40	NULL	NULL	{"attributes": {"url": "http://www.funk.com/ne…	NULL	2024-0…	2024-01…
405	default	created	App\Models\Transaction	created	351	NULL	NULL	{"attributes": {"revenue": {"amount": "1427",…	NULL	2024-0…	2024-01…
406	default	created	App\Models\Transaction	created	352	NULL	NULL	{"attributes": {"revenue": {"amount": "6728",…	NULL	2024-0…	2024-01…
407	default	created	App\Models\Transaction	created	353	NULL	NULL	{"attributes": {"revenue": {"amount": "7295",…	NULL	2024-0…	2024-01…
408	default	created	App\Models\Transaction	created	354	NULL	NULL	{"attributes": {"revenue": {"amount": "1458",…	NULL	2024-0…	2024-01…
409	default	created	App\Models\Transaction	created	355	NULL	NULL	{"attributes": {"revenue": {"amount": "8451",…	NULL	2024-0…	2024-01…
410	default	created	App\Models\Transaction	created	356	NULL	NULL	{"attributes": {"revenue": {"amount": "3923",…	NULL	2024-0…	2024-01…

There's only one thing we need to do. Cleaning old log entries. You can configure how old a record should be to be deleted in the `delete_records_older_than_days` config. By default, it's `365`. To delete old logs we need to schedule the `activitylog:clean` command: