nworld"|nl2br }} will convert newline characters to HTML br tags and render as Hello
world. Some filters take arguments: {{ myArray|join(', ') }} will convert an array to a string, with each element delimited by the ', ' sequence. There are quite a few filters available, for example:

Table 11-28. *Twig filters*

|striptags	Completely remove all HTML tags from a string
|capitalize	Equivalent to mb_ucfirst() function
|upper	Wrapper for mb_strtoupper() function
|lower	Wrapper for mb_strtolower() function
|first	Output first element of array, or character of a string
|last	Last element, or character
|number_format	Wrapper for number_format() functions
|join	Concatenate a sequence of elements, with optional separator and final separator characters
|format_time |format_date |format_datetime	Formatting for a valid PHP datetime string
|format_number	Regional formatting for numbers
|reverse |shuffle |sort	Reorder elements in a sequence
|default	Sets a default string for potentially empty values

The filters that play with things like case conversion tend to be multi-byte safe (essentially wrappers for the mbstring equivalent functions). You can also apply filters to entire blocks of template content. Use the apply tag with the filter name like this: {% apply upper %} {% endapply %}. All text between those tags, whether it is literal template text or interpolated from variables, will be filtered accordingly. You can also chain filters together {{ myVar|striptags|upper }} would first remove HTML tags, then convert the remaining text to uppercase (using the mb_strtoupper() function