session_set_save_handler() function, 737
session_start(), 730, 742
setcookie() function, 697, 698
set_exception_handler() function, 200
setQuoteStash(), 295
setrawcookie() function, 697, 698
setTimestamp(), 619
setTimezone(), 619
sha1(), 521
sha_file(), 521
Shell variable, 52
ShinyLogs, 152
Short-circuiting, 180
Single inheritance, 329
Single responsibility principle (SRP), 650–652
Singleton, 311
Slash escape mechanism, 481
Smalltalk, 639
sodium_crypto_secretbox() function, 549
Solution space, 641
SORT_NUMERIC, 267
SORT_REGULAR, 267
SORT_STRING, 267
soundex(), 457
Special (resource) type, 86
Splat operator, 127, 238, 239, 295
spl_autoload_register() function, 345
sprintf(), 498
SRP, *see* Single responsibility principle (SRP)
sscanf(), 482–484
Stack traces, 201–206
Stakeholders, 651, 652
Standalone pseudo-types, 110, 118
Startup/compile time error, 189
Static members
  class context, 306, 307
  context resolution operator, 304
  getCount() function, 305
  object instance, 303
  syntax and rules, 303
Static variable, 108, 139–141
Status code, 721
Status line, 721
StockTaker class design, 651
Strategy pattern, 672, 674
strcasecmp(), 448, 449, 451
strcmp(), 448, 450–452
strcoll(), 456, 457
str_contains(), 461, 462
strcspn(), 465, 466
stream_context_create(), 715
Stream functions, 61–62
str_ends_with(), 461, 462
str_getcsv(), 478–482
strict_detection, 524
Strict types, 106
Strings
  analysis, 446, 447
  binary, 420, 421
  categories, 445
  comparison, 446–449
  concatenation, 435
  conversion, 536–539
  counting, 466–474
  creating arrays/variables, 475–484
  data type, 434–438
  extensions, 445
  formatting, 494, 495
  goals, 445
  heredoc and nowdoc, 417–420
  insertion, 495–498
  inspection, 533–536
  letter escape sequences, 414
  manipulation, 842