```
    public function handleGoogleCallback()
    {
        $googleUser = Socialite::driver('google')->stateless()->user();

        // Try to find the user by email
        $user = User::where('email', $googleUser->getEmail())->first();

        if ($user) {
            // If user exists but has no google_id, update it
            if (!$user->google_id) {
                $user->update([
                    'google_id' => $googleUser->getId(),
                ]);
            }
        } else {
            // No user with that email, create a new one
            $user = User::create([
                'name' => $googleUser->getName(),
                'email' => $googleUser->getEmail(),
                'google_id' => $googleUser->getId(),
                'password' => bcrypt(str()->random(16)), // Placeholder
            ]);
        }

        Auth::login($user);

        return redirect('/profile');
    }

    public function logout()
    {
        Auth::logout();
        return redirect('/');
    }
}
```

13.10.4.8 Step 8: Create Routes

We need to create routes for Google authentication. Open `routes/web.php` and add the following code:

```
<?php

use Illuminate\Support\Facades\Route;

use App\Http\Controllers\GoogleAuthController;
use Illuminate\Support\Facades\Auth;

Route::get('/auth/google', [GoogleAuthController::class, 'redirectToGoogle']);
Route::get('/auth/google/callback', [GoogleAuthController::class, 'handleGoogleCallback']);

Route::middleware(['auth'])->group(function () {
    Route::get('/profile', function () {
        return Auth::user();
    });
});
```