We will create a `Product` model, migration, and controller using the Artisan command line tool. Run the following command in your terminal:

```
php artisan make:model Product -mcr
```

We have now created the `Product` model, migration, and controller. The migration file creates a `products` table with `name`, `description`, and `price` fields. The `-mcr` flag creates a migration file, a resource controller, and a model.

In the generated migration (`database/migrations/xxxx_xx_xx_create_products_table.php`), update the schema:

```
public function up()
{
    Schema::create('products', function (Blueprint $table) {
        $table->id();
        $table->string('name');
        $table->text('description')->nullable();
        $table->decimal('price', 10, 2);
        $table->timestamps();
    });
}
```

Run the migration:

```
php artisan migrate
```

Modify model `app/Models/Product.php` to include the fillable fields:

```
class Product extends Model
{
    protected $fillable = ['name', 'description', 'price'];
}
```

15.6.4.4 Step 4: Implement ProductController

In the generated `ProductController` (`app/Http/Controllers/ProductController.php`), implement the CRUD methods. Use the `Inertia` facade to render React components.

In `app/Http/Controllers/ProductController.php`, implement the CRUD methods:

```
<?php

namespace App\Http\Controllers;

use App\Models\Product;
use Illuminate\Http\Request;
use Inertia\Inertia;
```