```
                  class="bg-indigo-500 hover:bg-indigo-600 text-white px-3 py-1 rounded
text-xs mr-2"
                >
                  Detail
                </router-link>

                <router-link
                  :to="`/products/${product.id}/edit`"
                  class="bg-green-500 hover:bg-green-600 text-white px-3 py-1 rounded
text-xs"
                >
                  Edit
                </router-link>
                <button
                  @click="deleteProduct(product.id)"
                  class="bg-red-500 hover:bg-red-600 text-white px-3 py-1 rounded text-xs"
                >
                  Delete
                </button>
              </td>
            </tr>
          </tbody>
        </table>
      </div>
    </div>
  </AppLayout>
</template>

<script>
import { ref } from 'vue';
import { usePage } from '@inertiajs/vue3';
import AppLayout from '@/layouts/AppLayout.vue';

export default {
  components: { AppLayout },
  setup() {
    const { flash, props } = usePage();
    const products = ref(props.products || []);
    const breadcrumbs = ref([{ title: 'Products', href: '/products' }]);

    const deleteProduct = (id) => {
      if (confirm('Are you sure you want to delete this product?')) {
        // Call API to delete product
      }
    };

    return { flash, products, breadcrumbs, deleteProduct };
  },
};
</script>
```

This component displays a list of products in a table format. It uses Vue Router for navigation and state management. The `router-link` component is used to create links to the product creation and editing pages.

Create `resources/js/pages/products/create.vue` and replace with the following code:

```
<template>
  <AppLayout :breadcrumbs="breadcrumbs">
    <Head title="Create Product" />
    <div class="container mx-auto p-4 max-w-xl">
      <h1 class="text-2xl font-bold mb-4">Create Product</h1>
```