```
import AppLayout from '@/layouts/AppLayout.vue';

export default {
  components: { AppLayout },
  props: {
    product: Object,
  },
  setup(props) {
    const { data, setData, put, processing, errors } = useForm({
      name: props.product.name,
      price: props.product.price,
      description: props.product.description || '',
    });

    const breadcrumbs = ref([
      { title: 'Products', href: '/products' },
      { title: 'Edit Product', href: `/products/${props.product.id}/edit` },
    ]);

    const handleSubmit = () => {
      put(`/products/${props.product.id}`);
    };

    return { data, setData, put, processing, errors, breadcrumbs, handleSubmit };
  },
};
</script>
```

This component provides a form for editing an existing product. It pre-fills the form fields with the current product data and uses the `put` method to send the updated data to the backend API.

Create `resources/js/pages/products/show.vue` and replace with the following code:

```
<template>
  <AppLayout :breadcrumbs="breadcrumbs">
    <Head :title="`Product: ${product.name}`" />

    <div class="container mx-auto p-4 max-w-xl">
      <h1 class="text-2xl font-bold mb-4">Product Detail</h1>

      <div class="bg-white dark:bg-gray-800 rounded shadow p-4 space-y-4 text-gray-900
dark:text-white">
        <div><strong>Name:</strong> {{ product.name }}</div>
        <div><strong>Price:</strong> ${{ product.price }}</div>
        <div><strong>Description:</strong> {{ product.description }}</div>
        <div class="mt-4">
          <router-link
            to="/products"
            class="text-blue-600 hover:underline"
          >
            ← Back to Products
          </router-link>
        </div>
      </div>
    </div>
  </AppLayout>
</template>

<script>
import { ref } from 'vue';
import AppLayout from '@/layouts/AppLayout.vue';
```