serves as a dictionary of the Artisan commands and can be accessed anytime on the terminal with the following command:

```
php artisan list
```

This will give you a list of all commands.

- **Help**

  The **`help`** command enables you to get more information about the command it is used with. Let's look at an example – to understand what the **`migrate`** command does, use the following:

  ```
  php artisan help migrate
  ```

  Whenever you want to understand what a command does, the arguments available with the command, and the functionality of the command, use the **`help`** command.

- **Scheduling Commands**

  Laravel provides developers the capability to schedule commands within Laravel itself, requiring only a single CRON entry on the server.

  - CRON stands for Command Run On

  The command schedule is stored in the **`Kernel.php`** file located under the **`app/Console`** directory. The schedule method in this class is used to define as many scheduled jobs as desired with the **`schedule`** object.

  To invoke the Laravel command scheduler every minute, add the following code to the server:

  ```
  * * * * * php /path/to/artisan schedule:run 1>> /dev/null 2>&1
  ```

  This will ensure that the scheduler is called every minute, and then Laravel can take care of the scheduled jobs and run them as per the defined schedule.

- **Frequent Repeating Jobs**

  To schedule a job every five minutes or every ten minutes, the schedule job code will look like the following examples:

  Job Every Five Minutes:

  ```
  $schedule->command('test')->everyFiveMinutes();
  ```

  Job Every Ten Minutes:

  ```
  $schedule->command('test')->everyTenMinutes();
  ```

  Daily Repeating Jobs: