5. Statement 1: INCORRECT—Labrador current is a cold current.
   Statement 2: INCORRECT—The Labrador current flows along part of the east coast of Canada and meets the warm Gulf Stream. The confluence of these two currents, one hot and the other cold, produce the famous fogs around Newfoundland.
   In the South Atlantic Ocean, the south equatorial current, flowing from east to west, splits into two branches near Cape de Sao Roque (Brazil).
6. West Wind Drift is a cold ocean current flows in the higher latitudes of Southern hemisphere.
7. Statement 1: CORRECT—Photic or euphotic zone extends from the upper surface to ~200 m. The photic zone receives adequate solar insolation.
   Statement 2: CORRECT—Aphotic zone extends from 200 m to the ocean bottom; this zone does not receive adequate sunrays.
8. **Indian Ocean**
   - The average salinity of the Indian Ocean is 35.
   - The low salinity trend is observed in the Bay of Bengal due to influx of river water by the river Ganga.
   - On the contrary, the Arabian Sea shows higher salinity due to high evaporation and low influx of fresh water.
9. Funnel-shaped bays greatly change tidal magnitudes. When the tide is channeled between islands or into bays and estuaries they are called tidal currents.
10.
    - The time between the high tide and low tide, when the water level is falling, is called the ebb.
    - The time between the low tide and high tide, when the tide is rising, is called the flow or flood.
11. Since tides are caused by the earth-moon-sun positions which are known accurately, the tides can be predicted well in advance. This helps the navigators and fishermen plan their activities.
    Tides are also helpful in desilting the sediments and in removing polluted water from river estuaries.
    Tides are used to generate electrical power.
12. A tidal bore takes place during the flood tide and never during the ebb tide.