Rainforests is an exception as it has productivity comparable to wetlands because of its rich diversity of primary producers).

17.

- Smog = smoke + fog (smoky fog) caused by the burning of large amounts of coal, vehicular emission and industrial fumes (Primary pollutants).
- Smog contains soot particulates like smoke, sulphur dioxide, nitrogen dioxide and other components.
- At least two distinct types of smog are recognised: sulphurous smog and photochemical smog.
- Note: Water in form of droplets/vapour is an essential component of fog which is often ignored by students.

18.

- Central Pollution Control Board along with State Pollution Control Boards have been operating the National Air Monitoring Program (NAMP).
- There are six AQI categories, namely Good, Satisfactory, Moderately polluted, Poor, Very Poor, and Severe.
- The AQI will consider eight pollutants (PM10, PM2.5, N02, S02, CO, 03, NH3, and Pb).

19.

- Species diversity is the ratio of one species pop ulation over total number of organisms across all species in the given biome. ‘Zero’ would be infinite diversity, and ‘one’ represents only one species present.
- Species diversity is a measure of the diversity within an ecological community that incorporates both species richness (the number of species in a community) and the evenness of species.
- In general, species diversity decreases as we move away from the equator towards the poles.

20. Bioprospecting is the process of discovery and commercialisation of new products based on biological resources. These resources or compounds can be important for and useful in many fields, including pharmaceuticals, agriculture, bioremediation, and nanotechnology, among others.