- Flora: Natural monsoon evergreen and semi-evergreen forests; dominant species are sal, silkcotton trees, giant bamboos; tall grassy meadow with savannahs in terai.
- Fauna: Elephant, sambar, swamp deer, cheetal, hog deer, barking deer, wild boar tiger, panther, hyena, black bear, sloth bear, Great Indian onehorned rhinoceros, wild buffalo, Gangetic gha- rial, golden langur.

Western Himalayas (High altitude region):

- Flora: Natural monsoon evergreen and semi-evergreen forests; rhododendrons; dwarf hill bamboo and birch forests mixed with alpine pastures.
- Fauna: Tibetan wild ass (kiang), wild goats (thar, ibex) and blue sheep; antelopes (Chiru and Tibetan gazelle), deer (hangul of Kashmir stag, musk deer); golden eagle, snow cocks, snow partridges; snow leopard, black and brown bears; birds like Griffon vultures.

26. All the above-mentioned species are invasive in India.
    - Eucalyptus: Australian native species most prominently invasive in Deccan
    - Goldfish: East Asian native, invasive in almost all of India
    - African Giant Snail and African Catfish: Both are African native species, mostly found in Western Ghats states.

27.
    - Typically, reserved forests are often upgraded to the status of wildlife sanctuaries, which in turn may be upgraded to the status of national parks, with each category receiving a higher degree of protection and government funding.
    - In terms of protection, National parks > Wildlife Sanctuary > Reserved forests > Protected forests

28.
    - Unlike its predecessor, the Kyoto Protocol, which sets commitment targets that have legal force, the Paris Agreement, with its emphasis on consensus-building, allows for voluntary and nationally determined targets. The specific climate goals are thus politically encouraged, rather than legally bound.
    - The global stocktake established under Article 14 of the Paris Agreement is a process for taking stock of collective progress