These climates generally have warm summers with mild winters.

73. *Seamount*

It is a mountain with pointed summits, rising from the seafloor that does not reach the surface of the ocean. Seamounts are volcanic in origin. These can be 30004500 m tall. The Emperor seamount, an extension of the Hawaiian Islands in the Pacific Ocean, is a good example.

Submarine Canyons

These are deep valleys, some comparable to the Grand Canyon of the Colorado river. They are sometimes found cutting across the continental shelves and slopes, often extending from the mouths of large rivers. The Hudson Canyon is the best known submarine canyon in the world.

Guyots

It is a flat topped seamount. They show evidences of gradual subsidence through stages to become flat topped submerged mountains. It is estimated that more than 10,000 seamounts and guyots exist in the Pacific Ocean alone.

Atoll

These are low islands found in the tropical oceans consisting of coral reefs surrounding a central depression. It may be a part of the sea (lagoon), or sometimes form enclosing a body of fresh, brackish, or highly saline water.

74. The most saline water body in the world is the Don Juan Pond, located in Antarctica. It has a salinity level of over 44%, (i.e., 12 times as salty as ocean water), dead sea has 33.7% salinity.

Salinity is the term used to define the total content of dissolved salts in sea water.

It is calculated as the amount of salt (in gm) dissolved in 1000 gm (1 kg) of seawater. Salinity of 24.7 (24.7%) has been considered as the upper limit to demarcate ‘brackish water’. Salinity determines compressibility, thermal expansion, temperature, density, absorption of insolation, evaporation and humidity.

It also influences the composition and movement of the sea: water and the distribution of fish and other marine resources.