SAIF activity	CEO	CTO	CIO	Chief strategy officer	Chief security officer	CFO	AI head
Define enterprise AI vision, risk appetite, and SAIF mandate	A	C	C	R	C	C	S
Establish AI governance council and decision rights	A	C	C	R	C	C	S
Create SAIF policies, standards, and control baseline	I	S	S	C	A/R	C	R
Assess AI use cases and classify risk levels	I	C	C	R	C	C	A/R
Approve high-risk or business-critical AI deployments	A	C	C	C	R	C	S
Design secure AI architecture and platform controls	I	A/R	R	C	S	C	S
Implement model lifecycle controls, model registry, and evaluation process	I	S	S	C	C	I	A/R
Define data protection, privacy, and access controls for AI systems	I	C	R	C	A/R	C	S
Perform AI threat modelling, red-team testing, and incident response planning	I	S	S	I	A/R	I	C
Monitor AI systems for misuse, drift, anomalies, and security events	I	C	R	I	A/R	I	S
Track AI value realisation, cost governance, and investment prioritisation	I	C	C	R	C	A/R	S
Report AI risk, compliance, and governance posture to executive leadership or board	A	C	C	R	R	C	S
Continuously improve SAIF based on incidents, audits, regulations, and feedback	I	R	R	C	A/R	C	S

How SAIF works with popular AI solutions

SAIF can be applied across popular AI solutions because it is designed as a control framework rather than a product-specific architecture. Whether an enterprise uses Google Vertex AI, Microsoft Azure AI and Azure OpenAI Service, AWS Bedrock, Amazon SageMaker, OpenAI enterprise APIs, Anthropic Claude, IBM watsonx, Databricks Mosaic AI, Snowflake Cortex AI, Hugging Face Enterprise Hub, Nvidia AI Enterprise, Kubernetes-based MLOps platforms, or on-premises model deployments, the central governance questions remain consistent: What data enters the system? Who can access the model? How are outputs controlled? How are risks monitored? How is accountability maintained? SAIF functions as a unifying layer that maps enterprise security controls to AI-specific workflows.

In generative AI and large language model deployments, SAIF begins with strong identity, access, and data controls. Users, applications, service accounts, APIs, vector databases, prompt templates, and model endpoints should be governed through least privilege, role-based or attribute-based access control, encryption, secret management, audit logging, and policy enforcement. For example, a retrieval-augmented generation system built on Azure OpenAI or AWS Bedrock should not simply connect a model to enterprise documents. The retrieval layer must enforce document-level authorisation, data classification, query filtering, vector index governance, source attribution, and response validation. Otherwise, the system may expose sensitive records even if the underlying model is secure.

For traditional machine learning platforms such as SageMaker, Vertex AI, Databricks, or watsonx, SAIF aligns with MLOps controls: secure data pipelines, model lineage, feature store governance, training-data validation, model approval gates, vulnerability scanning of containers, signed artifacts, model registry controls, deployment approval, and continuous monitoring for drift or abnormal predictions. For genAI