/dev/sdb1 or /dev/hda2 for simplicity, but remember that any /dev location, UUID=<some_id>, or LABEL=<some_label> can work.

ext2 and ext3

The main difference between ext2 and ext3 is that ext3 has journaling which helps protect it from errors when the system crashes.

A root filesystem:

UUID=30fcb748-ad1e-4228-af2f-951e8e7b56df / ext3 defaults,errors=remount-ro,noatime 0 1

A non-root file system, ext2:

/dev/sdb1 /media/disk2 ext2 defaults 0 2

fat16 and fat32

/dev/hda2 /media/data1 vfat defaults,user,exec,uid=1000,gid=100,umask=000 0 0

/dev/sdb1 /media/data2 vfat defaults,user,dmask=027,fmask=137 0 0

ntfs

This example is perfect for a Windows partition.

/dev/hda2 /media/windows ntfs-3g defaults,locale=en_US.utf8 0 0

For a list of locales available on your system, run

- locale -a

hfs+

the hfs+ filesystem is generally used by Apple computers.

/dev/sdb1 /media/Macintosh_HD hfsplus rw,exec,auto,users 0 0

5.9 Editing fstab

Please, before you edit system files, make a backup. The -B flag with nano will make a backup automatically.

To edit the file in Ubuntu, run:

gksu gedit /etc/fstab

To edit the file in Kubuntu, run:

kdesu kate /etc/fstab

To edit the file directly in terminal, run:

sudo nano -Bw /etc/fstab

- -B = Backup origional fstab to /etc/fstab~ .
- -w = disable wrap of long lines.

Alternate:

```
sudo -e /etc/fstab
```

5.10 How to label

How the label and the UUID are set depends on the file system type used. It can normally be set when creating/formatting the file system and the file system type usually has some tool to change it later on (e.g. e2tunefs,xfs_admin,reiserfstune,etc.)