As an alternative, the user of this GettingSet class can use something that may appear as a property of publicAccess. This is nothing but a pair of get and set accessors functions. This function can operate on the personalProperty.

Here is an example of the GettingSet class that sets the value of the personalProperty. Here we use the public accessor named publicAccess:

```
var myGettingSet:GettingSet = new GettingSet();
trace(myGettingSet.publicAccess); // output: null
myGettingSet.publicAccess = "hello";
trace(myGettingSet.publicAccess);  //  output:
hello
```

We can override the inherited properties from a superclass by using the Get and Set functions. This is not possible when using the regular variables of class member. If we declare a class member variable by using the var key word then it will not be possible for us to override it in a subclass. At the same time we should always keep in mind that this limitation is not applicable for the properties that we create by using the get and the set function. The override feature can be used on the get and set functions but these get and set functions must be inherited from a superclass.

4.3 Creating A Flash Application Using Instance Method

In this unit we have discussed the major concepts related to instance methods. They are namely the bound and get and set methods. Now let us create an effective application based on the above concepts. The steps for creating the application are as follows:

- Open a blank document. If the document is opened in Flash ActionScript 2.0, it should be set here.
- Select the Text Tool and create a text box
- Set the text type as Dynamic Text, font as _sans and assign 'a' as