```
• ./arcoreimg eval-img --input _ image _ path=dog.jpg
```

- Create an image database file and move on to building the arcore library for input directories.
- Run arcoreimg build-db using --input_images_directory to create a folder that contains the images.

```
• ./arcoreimg build-db --input _ images _ directory=/path/
to/images \
•                             --output _ db _ path=/path/to/
myimages.imgdb
```

Image Marker Symbol In ARCore

Use AugmentedImage.getIndex() and AugmentedImage.getName() to identify detected images. As a sample code, the following program is for detecting images as markers for AR objects such as cars. This uses the Viro plugin that can be downloaded from the SDK rootkit, and the code can be inputted in the same mainframe:-

```
• ViroARScene>
•          <ViroLightingEnvironment source={require('./
res/tesla/garage _ 1k.hdr')}/>
•          <ViroARImageMarker target={"logo"}
onAnchorFound={this. _ onAnchorFound} pauseUpdates={this.
state.pauseUpdates}>
•          ///Components that will appear once target
image is found
•          </ViroARImageMarker>
• </ViroARScene>
• ViroARTrackingTargets.createTargets({
•   logo: {
•     source : require('./res/logo.png'),
•     orientation : "Up",
•     physicalWidth : 0.165 // real world width in meters
•   }
• });
```