```
# zfs destroy -r tank/home@now
```

Two new properties identify snapshot hold information:

- The `defer_destroy` property is on if the snapshot has been marked for deferred destroy by using the `ZFS destroy -d` command. Otherwise, the property is off.
- The `userrefs` property is set to the number of holds on this snapshot.

4.9.3 Renaming ZFS snapshots

You can rename snapshots but they must be renamed within the same pool and dataset from which they were created. For example:

```
# zfs rename tank/home/cindys@083006 tank/home/cindys@today
```

In addition, the following shortcut syntax provides equivalent snapshot renaming syntax as the example above.

```
# zfs rename tank/home/cindys@083006 today
```

The following snapshot rename operation is not supported because the target pool and file system name are different from the pool and file system where the snapshot was created.

```
# zfs rename tank/home/cindys@today pool/home/cindys@saturday
cannot rename to 'pool/home/cindys@today': snapshots must be part of same dataset
```

You can recursively rename snapshots with the `zfs rename -r` command. For example:

```
# zfs list
NAME                      USED   AVAIL   REFER   MOUNTPOINT
users                     270K   16.5G   22K     /users
users/home                76K    16.5G   22K     /users/home
users/home@yest           0      -       22K     -
users/home/markm          18K    16.5G   18K     /users/home/markm
users/home/markm@yest     0      -       18K     -
users/home/marks          18K    16.5G   18K     /users/home/marks
users/home/marks@yest     0      -       18K     -
```