```
# dmesg | more
....
[ 1539.027419] IPv6: ADDRCONF(NETDEV_UP): eth0: link is not ready
[ 1539.042726] IPv6: ADDRCONF(NETDEV_UP): veth61f37018: link is not ready
[ 1539.048706] IPv6: ADDRCONF(NETDEV_CHANGE): veth61f37018: link becomes ready
[ 1539.055034] IPv6: ADDRCONF(NETDEV_CHANGE): eth0: link becomes ready
[ 1539.098550] device veth61f37018 entered promiscuous mode
[ 1541.450207] device veth61f37018 left promiscuous mode
[ 1542.493266] SELinux: mount invalid.  Same superblock, different security setting
[ 9965.292788] SELinux: mount invalid.  Same superblock, different security setting
[ 9965.449401] IPv6: ADDRCONF(NETDEV_UP): eth0: link is not ready
[ 9965.462738] IPv6: ADDRCONF(NETDEV_UP): vetheacc333c: link is not ready
[ 9965.468942] IPv6: ADDRCONF(NETDEV_CHANGE): vetheacc333c: link becomes ready
```

```
# tail -f /var/log/messages
Dec  1 13:20:33 bastion dnsmasq[30201]: using nameserver 127.0.0.1#53 for domain in
Dec  1 13:20:33 bastion dnsmasq[30201]: using nameserver 127.0.0.1#53 for domain cl
Dec  1 13:21:03 bastion dnsmasq[30201]: setting upstream servers from DBus
Dec  1 13:21:03 bastion dnsmasq[30201]: using nameserver 192.199.0.2#53
Dec  1 13:21:03 bastion dnsmasq[30201]: using nameserver 127.0.0.1#53 for domain in
Dec  1 13:21:03 bastion dnsmasq[30201]: using nameserver 127.0.0.1#53 for domain cl
Dec  1 13:21:33 bastion dnsmasq[30201]: setting upstream servers from DBus
Dec  1 13:21:33 bastion dnsmasq[30201]: using nameserver 192.199.0.2#53
Dec  1 13:21:33 bastion dnsmasq[30201]: using nameserver 127.0.0.1#53 for domain in
Dec  1 13:21:33 bastion dnsmasq[30201]: using nameserver 127.0.0.1#53 for domain cl
```

Close check over network functions

Analysis of authentic networking functions is extremely essential. This process is also significant while troubleshooting. For this purpose, commands like ip addr, traceroute, dig, ping and nslookup will help you. In the example below, you can see the output of the command ip addr show -

```
# ip addr show
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default q
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
       valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host
       valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 9001 qdisc mq state UP group default
    link/ether 06:af:52:f8:74:98 brd ff:ff:ff:ff:ff:ff
    inet 192.199.0.169/24 brd 192.199.0.255 scope global noprefixroute dynamic eth0
       valid_lft 3096sec preferred_lft 3096sec
    inet6 fe80::4af:52ff:fef8:7498/64 scope link
       valid_lft forever preferred_lft forever
3: docker0: <NO-CARRIER,BROADCAST,MULTICAST,UP> mtu 1500 qdisc noqueue state DOWN g
    link/ether 02:42:67:fb:1a:a2 brd ff:ff:ff:ff:ff:ff
    inet 172.17.0.1/16 scope global docker0
       valid_lft forever preferred_lft forever
    inet6 fe80::42:67ff:fefb:1aa2/64 scope link
       valid_lft forever preferred_lft forever
```

Troubleshooting regarding the command line

Sometimes countering the issue initially is far better than delay. In a short span of time, Linux has come a long way and is known for its stability. You should troubleshoot your Linux system in the following cases.