```
public void paint( Graphics g )
{
g.setFont( new Font( "Serif", Font.BOLD, 12 ) );
g.setFont( new Font( "Monospaced", Font.ITALIC, 24 ) );
}
}
```

This is the usual way. This fires the default constructor with the Font Name, the Font Style and the Font Size. To display text, you must first select a font. To select a font, you must first create an object of the class Font. You specify a font by its font face name (or font name for short), and its point size.

Font cou = new Font(“Courier”, Font.BOLD, 24);

24 points (A point is 1/72nd of an inch)

9.3.5 Drawing lines and rectangles

Class Graphics has a raft of methods that can be used to draw.

Example - Single line

```
drawLine( int x1, int y1, int x2, int y2 )
```

This will draw a line between the point defined by (x1,y1) and (x2,y2)

Rectangles

```
drawRect( int x1, int y1, int width, int height )
```

This will draw a rectangle with the top-left-hand corner (x1,y1) with the width and height specified.

A rectangle with a filled-in center

```
fillRect( int x1, int y1, int width, int height )
```

This will draw a filled rectangle with the top-left-hand corner (x1,y1) with the width and height specified.

A rectangle with the same color as the background color

```
clearRect( int x1, int y1, int width, int height )
```

This will draw a filled rectangle with the top-left-hand corner (x1,y1) with the width and height specified, with the same color as the background color.

9.3.6 Drawing arcs

An arc is a portion of a circle. It is drawn in an imaginary box, whose size we specify. It has a degree that it starts from, and a number of degrees that it sweeps. Contrary to intuition, a positive number of degrees for the sweep describes an arc that goes counter clockwise. Likewise, a negative number of degrees for the sweep describes an arc that goes clockwise. There are two priMaya methods at work: