```

    glEnableVertexAttribArray(__idxPosition);
    glEnableVertexAttribArray(__idxColor);
```

c. The `glUniformMatrix4fv()` method modifies the values of the 4x4 MVP (Model View/Projection) uniform matrix according to the vertices information of the cube. An MVP matrix is created with data after each vertex of the cube has passed through 2 transformation stages: model view transformation (translation, rotation, and scaling of objects) and projection (perspective or orthographic).

```
    glUniformMatrix4fv(__idxMVP, 1, GL_FALSE, (GLfloat*)
&__matMVP.m[0][0]);
```

d. Once the vertex arrays have been enabled, the actual process of rendering graphics primitives from the array data occurs using the glDrawElements() method. The final parameter in this method is the indices array.

```
    glDrawElements(GL_TRIANGLES, numIndices, GL_
UNSIGNED_SHORT, indices);
```

e. The glFinish() method does not return until the effects of all previously called GL commands are complete. When the execution of all commands is complete, the method returns a value to signify the end of execution.

The eglSwapBuffers() method is used to post the EGL™ rendering context surface on the native window surface. It implicitly calls the glFlush() method which empties all the buffers causing all issued commands to be executed as quickly as they are accepted by the rendering engine.

```
    glFinish();

    eglSwapBuffers(__eglDisplay, __eglSurface);

    return true;
}
```

f. The event of spinning the 3D cube is performed using the user-defined methods which perform calculations to move the 3D cube every time the timer expires.

Release OpenGL® ES Resources

Once the OpenGL® ES methods have been used for the required purposes, it is necessary to release all the resources. This release of resources, achieved