```
preferences);
        SharedPreferences sp = getSharedPreferences(preferenceNa
me, 0);

       Editor editor = sp.edit();
       editor.putBoolean(getString(R.string.autoRespondPref),
                            autoRespond);
       editor.putString(getString(R.string.responseTextPref),
                                      respondText);
       editor.putBoolean(getString(R.string.includeLocationPref),
                                       includeLoc );
        editor.putInt(getString(R.string.respondForPref),respondF
orIndex);
       editor.commit();

       // Set the alarm to turn off the autoresponder
       setAlarm(respondForIndex);
    }

    private void setAlarm(int respondForIndex) {}
```

8. The setAlarm stub from Step 7 is used to create a new Alarm that fires an Intent that should result in the AutoResponder being disabled.
   You'll need to create a new Alarm object and a BroadcastReceiver that listens for it before disabling the auto-responder accordingly.

a) Start by creating the action String that will represent the Alarm Intent.

```
     public static final String alarmAction =
    "com.paad.emergencyresponder.AUTO_RESPONSE_EXPIRED";
```

b) Then create a new Broadcast Receiver instance that listens for an Intent that includes the action specified in Step 8.a When this Intent is received, it should modify the auto-responder settings to disable the automatic response.

```
     private BroadcastReceiver stopAutoResponderReceiver = new
     BroadcastReceiver() {
       @Override
```