f. Once the EGL™ configuration is set, the eglCreateWindowSurface() method creates an on-screen rendering surface over the bada screen.

```
__eglSurface = eglCreateWindowSurface(__eglDisplay, __eglConfig,
                                      (EGLNativeWindowType)__pForm, null);
```

g. Finally, the EGL™ rendering context is attached to the EGL™ window surface using the eglMakeCurrent() method. The parameters passed to the method are the selected EGL™ display, on-screen rendering surface, read surface, and EGL™ rendering context to be attached to the surface.

The on-screen rendering surface renders the graphic primitives (building blocks of a graphic) and the read surface performs read operations, such as reading pixels from a frame buffer. Normally, both these surfaces are the same and hence, in the eglMakeCurrent() method, the same parameter is passed for both surfaces.

The existing EGL™ rendering context is flushed from the system if the newly chosen rendering context is the same as existing rendering context. This flushing operation is performed by the DestroyGL() method.

```
    if(EGL_FALSE == eglMakeCurrent(__eglDisplay, __eglSurface, __eglSurface,
                                   __eglContext) || EGL_SUCCESS != eglGetError())
    {
        // Error handling
        goto CATCH;
    }

    return true;

    CATCH:
        DestroyGL();
        return false;
}
```

Initialize GL

1. GlesCube.cpp Source File
   a. In the InitGL() method, the shader instances for the fragment and