increases by one whenever a hold is put on the snapshot and decreases by one whenever a hold is released. In the previous Solaris release, snapshots could only be destroyed by using the `zfs destroy` command if it had no clones. In this Solaris release, the snapshot must also have a zero user-reference count. You can put a hold a snapshot or set of snapshots. For example, the following syntax puts a hold tag, keep, on `tank/home/cindys/snap@1`.

```
# zfs hold keep tank/home/cindys@snap1
```

You can use the `-r` option to recursively hold the snapshots of all descendent file systems. For example:

```
# zfs snapshot -r tank/home@now
# zfs hold -r keep tank/home@now
```

The above syntax adds a single reference, keep, to the given snapshot or snapshots. Each snapshot has its own tag namespace and tags must be unique within that space. If a hold exists on a snapshot, attempts to destroy that snapshot by using the `zfs destroy` command will fail. For example:

```
# zfs destroy tank/home/cindys@snap1
cannot destroy 'tank/home/cindys@snap1': dataset is
busy
```

If you want to destroy a held snapshot, use the `-d` option. For example:

```
# zfs destroy -d tank/home/cindys@snap1
```

Use the `zfs holds` command to display a list of held snapshots. For example:

```
# zfs holds tank/home@now
NAME TAG    TIMESTAMP
tank/home@now     keep   Fri Oct 2 12:40:12 2009
# zfs holds -r tank/home@now
NAME TAG    TIMESTAMP
tank/home/cindys@now    keep   Fri  Oct  2  12:40:12
2009
tank/home/mark@now              keep   Fri    Oct    2
12:40:12 2009
tank/home@now                   keep   Fri    Oct    2
12:40:12 2009
```

You can use the `zfs release` command to release a hold on a snapshot or set of snapshots. For example:

```
# zfs release -r keep tank/home@now
```

If the snapshot is released, the snapshot can be destroy with the `zfs destroy` command. For example: