Example: Printing default and assigned values in Dart of variables of different data types.

```
void main()
{
      // Declaring and initialising a variable
      int gfg1 = 10;

      // Declaring another variable
      double gfg2 = 0.2; // must declare double a value or it
                                        // will throw error
      bool gfg3 = false; // must declare boolean a value or it
                                        // will throw error

      // Declaring multiple variable
      String gfg4 = "0", gfg5 = "Geeks for Geeks";

      // Printing values of all the variables
      print(gfg1); // Print 10
      print(gfg2); // Print default double value
      print(gfg3); // Print default string value
      print(gfg4); // Print default bool value
      print(gfg5); // Print Geeks for Geeks
}
```

Keywords in Dart

In Dart, keywords are a set of reserved words that cannot be used as variable names or identifiers because they are standard identifiers with predefined functions.

Some of the keywords in Dart include "if", "else", "for", "while", "switch", "case", "break", "continue", "return", "try", "catch", "finally", "class", "extends", "implements", "super", "this", "abstract", "static", "final", "const", "var", "void", "bool", "int", "double", "String", and "dynamic".

Additionally, Dart has a special variable type called "dynamic". When declared with the keyword "dynamic", the variable can store any value during runtime without a specific data type. This is similar to the "var" datatype in Dart, but with a difference that "var" will replace itself with the appropriate data type at the moment you assign a value to the variable.