```
# zfs set   sharenfs=on tank/home
# zfs set   compression=on tank/home
# zfs get   compression tank/home
NAME                PROPERTY                VALUE
SOURCE
      tank/home          compression            on
local
```

A new feature is available that enables you to set file system properties when the file system is created. For example:

```
# zfs create
-o mountpoint=/export/zfs \
-o sharenfs=on \
-o compression=on tank/home
```

**{dev.works}**

Don't forget to visit the definitive resource for programmers from Digit: dev. Works at devworks.thinkdigit. com

4. Create individual file systems

   Note that the file systems could have been created and then the properties could have been changed at the home level. All properties can be changed dynamically while file systems are in use.

```
# zfs create tank/home/bonwick
# zfs create tank/home/billm
```

These file systems inherit their property settings from their parent, so they are automatically mounted at /export/zfs/user and are NFS shared. You do not need to edit the `/etc/vfstab` or `/etc/dfs/dfstab` file.

5. Set the file system-specific properties.

   In this example, user `bonwick` is assigned a quota of 10 GB. This property places a limit on the amount of space he can consume, regardless of how much space is available in the pool.

```
# zfs set quota=10G tank/home/bonwick
```

6. View the results

   View available file system information by using the zfs list command:

```
# zfs list
NAME USED   AVAIL  REFER  MOUNTPOINT
tank                          92.0K        67.0G
9.5K   /tank
tank/home                     24.0K        67.0G
8K     /export/zfs
tank/home/billm               8K     67.0G
8K     /export/zfs/billm
tank/home/bonwick     8K      10.0G        8K     /
```