are recorded for detecting system abuse. Likewise, if you desire to run another shell, you can use the –s option. For example, if you want to switch to the root and run the shell called zsh then you need to type:

- `Su –s /usr/bin/zsh`

On the other hand, if you are desirous of preserving the whole environment of the calling user, then you can use the –p option.

- `Su –p`

Additional arguments can be provided after the username. In this case, it will be provided in the user login shell. In particular, if you specify the c argument, most command interpreters refer to the following argument as order. The command is executed by the shell specified in the target user's

- `/ etc / passwd`

If the su command is successfully executed, it will return the exit value of the command that was executed. In the event that a signal terminates the command then su will return the value of the signal along the lines of plus 128. Moreover, if su terminates or kills a command, then it will return 255.

The chgrp command

The Linux chgrp command is used to change the group ownership of a file or directory. First, you must have admin rights to add or remove groups. You can connect as root or use sudo to connect. To add a new group, you can use:

- `sudo addgroup groupname`

Example 1: Change the group ownership of a file.

- `sudo chgrp groupname filename`

Example 2: To change the group ownership of a folder.

- `sudo chgrp groupname foldername`

Example 3: Recursively change a group's ownership of a folder and all other subfolders and files, files within a subfolder

- `sudo chgrp -R groupname foldername`

Example 4: Using the group name of a reference file to change the group of another folder or file:

- `sudo chgrp -R --reference=filename foldername`

Example 5: Describing the action of a file whose group has been changed

- `sudo chgrp -c groupname filename`

Example 6: Suppression of error messages

- `sudo chgrp -f groupname filename`

Example 7: Describing the non-action and action of every file

- `sudo chgrp -v groupname filename` d