

will have to match up with such a load if you try this alternative.

Internet and Communications
+ Fonts for Hindi

I am working on a site for which I have to make use of Hindi. How do I make sure that visitors to the site don't have to download the fonts?

Amarjeet Singh,
Via e-mail

R Using font-embedding technologies, it is possible to embed fonts inside a Web page such that visitors will see it the way you have designed it and not the default font style. Font embedding technologies differ for Internet Explorer and Netscape, and involves conversion of your True Type or Post Script font to Embedded open type



WEFT works well for font embedding

(.eot) or Truedoc (.pfr) file formats. Microsoft supports the former while the latter is supported by Netscape. However, not all fonts can be embedded and only those specified by the creators can be embedded. Microsoft's free WEFT tool is a good utility to embed fonts in your site.

Windows


+ Converting FAT16 to FAT32

I need to convert FAT16 to FAT32 in Windows Me. How do I do it?

Nikhil Bhatia
Via e-mail

R To convert a FAT16 partition to FAT32, you must follow these steps:

Create a Windows Me Startup disk and restart your computer in command prompt with the Windows Me Startup disk in the floppy disk drive, without CD-ROM



Converting to FAT32

support. At the command prompt, type `cvt c:` assuming `c:` is the drive that you want to convert to the FAT32 file system.

If Windows is not installed in the default folder and you receive a bad command or file name error message, type `c:\windows_folder\command\cvt.exe c:` at a command prompt.

Here '`c:`' is the drive in which Windows is installed, `windows_folder` is the Windows folder, and '`c:`' is the drive that you want to convert.

Press [Enter] so that ScanDisk can check the drive for errors before the file system is converted. After this, the amount of free space that you gained by converting to FAT32 is displayed. Remove the Startup disk and press [Enter] when prompted to restart your computer. Note that the File system reportedly does not convert correctly if you have both the FAT16 and FAT32 file systems on your drive.

Windows

+ Setup blues

I am using Windows Me, and face the following problem. When I click the tab of Windows Setup in the Add/Remove option in Control Panel, I get a dialog box with the error saying 'Rundll32.exe has caused an error in Setupx.dll...' How do I rectify this problem.

Dibyendra,
Via e-mail

R Most likely, the Setupx.dll and/or the Setupx32.dll file in your system directories



Don't let such errors happen to you

have got corrupted. You will have to reinstall the files first. To do that go to Start > Program > Accessories > System Tools > System Information and click on the Tools tab and select System Configuration Utility. Click on the Extract file option and give the names of the two files, Setupx.dll and Setupx32.dll and specify the directory where your Windows installation files are present.

In case you get an error saying not being able to extract file because files are in use, then you will have to use a boot disk to boot into DOS and use the extract command to extract the files.

If replacing the files doesn't work, as a last resort, try using the same files present on Windows 98 SE instead of your Windows Me files.

Linux

+ Cylinder issues

When I was installing Red Hat Linux 7.1 from the CD at the time of partition on my 20 GB hard disk, I got an error message that said that the Boot Partition is more than 1024 cylinders. It stops after the error and restarts the installation. What is the problem and how do you solve it?

Jagdish Patel,
Via e-mail

R While you are partitioning your hard disk you have to remember certain limitations that are present in LiLO (the Linux boot loader). LiLO, before version 21-2 and earlier, did not allow you to load the kernel if it is located beyond the 1023 cylinder head of the hard disk drive (roughly above 8 GB). This version of LiLO is what was found in the earlier versions of Red Hat such as 6.2.

However, the recent versions of LiLO, version 21-3 and above have fixed the problem, and can even boot kernels located around the 2 terrabytes range. So, in your case, Red Hat 7.1, that boots with the LiLO 21-4 shouldn't be a problem.

However, this problem still occurs if you have an older motherboard due to the limitations of the BIOS. Therefore, the alternative for you is to change your motherboard, which is an expensive proposition.

A simpler method or more cost-effective is to see to it that the Linux partition or kernel is not located beyond the 8 GB range. This you can do by having the Linux partition as the second primary partition (around the 4 GB range). 

DO YOU NEED HELP?

Send an SOS to sos@jasubhai.com

Or write in to DIGIT, D-222/2, Om Sagar Bldg, MIDC, Nerul-400 706