

INTERNET

GeoIP data is downloaded from an online server

How the Conficker worm works

Viruses have evolved into intelligent programs. Conficker is the perfect example of the modern day worm. Here's a visual representation of how it spread over the months using loopholes and constantly updating itself to paralyse security suites.



Local Network

Conficker spreads over the local network through shared folders



Conficker opens up ports in the firewall to allow external access

Top 10 countries with Conficker infections (A and B)

China

26,49,674
25.00%

**Russia**

8,35,970
8.00%

**Argentina**

5,69,445
5.00%

**Italy**

3,74,513
4.00%

**Malaysia**

2,12,477
3.00%

**Brazil**

10,17,825
10%

**India**

6,07,172
6.00%

**Taiwan**

4,13,762
4.00%

**Chile**

2,80,182
3.00%

**Korea**

2,01,107
2.00%

**SEPTEMBER 2008**

Initial reports of Conficker hit the internet

OCTOBER 2008

Microsoft patches the critical vulnerability - MS08-067 which involves the Windows service (SVCHOST.EXE)

NOVEMBER 2008

Conficker.A out - exploits the MS08-067 vulnerability quickly spreading over networks

DECEMBER 2008

Conficker.B out - adds infection DLL to removable drives which further increases the reach