

- `url(r'^admin/', include(admin.site.urls)),`

This line of code tells Django that URLs beginning with 'admin/' should be passed along to the admin framework included in Django. Let's leave this alone for now and look at the general syntax for a defining URL mappings.

The way you map a URL to code is to add additional 'url' entries as above that provide a pattern to match, and a view function or class to handle that pattern. So 'url(pattern, view)' to match a pattern to a view.

A simple example of a pattern would be as follows:

- `url(r'^test/', views.test_view),`

You could add this line to the 'urlpatterns' list and it will instruct Django to call the 'test_view' function in our views file and display its response in the browser.

Currently of course this function does not exist. Additionally you will need to use the import statement to import the views package if you want to be able to use it as above. So let's do that.

Creating a Simple View for Testing

Let's head over to our views.py files in the 'cms' app folder and type in it the following code:

- `from django.http import HttpResponse`
- `def test_view(request):`
- `return HttpResponse(`
- `'This URL is properly mapped.'`
- `)`

We'll leave out how this works exactly to the chapter about views. For now it's sufficient to know that we are returning a simple text response from this view that says 'This URL is properly mapped.' You can change this text to whatever you want and it will show up in your browser. If you turn this into HTML text, the browser will render it like any other web page.

Right now though you need to first properly import the views file in the urls file to have this work. As such replace the contents of the 'urls.py' file with the following:

- `from django.conf.urls import include, url`
- `from django.contrib import admin`
- `from cms import views`