


```
urlpatterns = [
    url(r'^admin/', include(admin.site.urls)),
    url(r'^test/', views.test_view)
]
```

You'll notice that the only way this differs from the code you already have is in the addition of the pattern for the test URL and the 'from cms import views' import statement.

Now rerun the 'python3 manage.py runserver' command (or the Windows alternative) and point your browser to '<http://localhost:8000/test/>' and you will see the message we typed in the 'test_view' function show up here. Try playing around with the message and using HTML code in it to see what happens.



We've successfully managed to route the /test URL to our own code

Also try adding more patterns; just copy that line and paste it a couple of times with the first bit altered. Let them all point to the same function for now. You will now see that those URLs are also accessible and produce the same output!

Now try making copies of the 'test_view' function, change the functions' names and change the responses as well. Now have different URL patterns point to different functions, and see that different URLs will produce different responses. This is to a large extent how most of our CMS will work. We will create a pattern in the urls file, link it to a function that produces the content for that content, and voila we have a CMS.

Matching With Patterns

You may be wondering though, that if this is how matching URLs works, you will have to create a separate 'url' entry and view function for each possible date, category, tag, and even article. Don't worry that is not the case!

There is a reason we always call the first parameter inside 'url' the pattern, and it's because it is supposed to match a wide range of URLs.