

For this project, you wouldn't be bringing any modifications in the `onOptionsItemSelected` method and the `onOptionsItemSelected` method. In the next step, you shall instantiate the `AsyncCall` class which would inherit the `AsyncTask` class. As described earlier, the `AsyncTask` would have four methods – `doInBackground`, `onPostExecute`, `onPreExecute` and `onProgressUpdate`. These methods are used for their original purpose. All the heavy lifting network operation are done by the `doInBackground` method and later the data from the network is bind to the UI through the `onPostExecute` method.

```
private class AsyncCall extends AsyncTask<Void, Void, Void> {
    private static final String TAG = "FeedTag" ;
    @Override
    protected Void doInBackground(Void... params) {
        Log.i(TAG, "doInBackground");
        getFeeds();
        return null;
    }
}
```

```
@Override
protected void onPostExecute(Void result) {
    Log.i(TAG, "onPostExecute");
    // Binding data
    ArrayAdapter adapter = new ArrayAdapter(MyActivity.
this, android.R.layout.simple_list_item_1, headlines);
    setListAdapter(adapter);
}
```

```
@Override
protected void onPreExecute()
{
    Log.i(TAG, "onPreExecute");
}
```

```
@Override
protected void onProgressUpdate(Void... values)
{
    Log.i(TAG, "onProgressUpdate");
}
}
```