

```

        boolean insideItem = false;

        // Returns the type of current event: START_TAG, END_TAG, etc..
        int eventType = xpp.getEventType();
        while (eventType != XmlPullParser.END_DOCUMENT) {
            if (eventType == XmlPullParser.START_TAG) {

                if (xpp.getName().equalsIgnoreCase("item")) {
                    insideItem = true;
                } else if (xpp.getName().equalsIgnoreCase("title")) {
                    if (insideItem)
                        headlines.add(xpp.nextText()); //extract the headline
                } else if (xpp.getName().equalsIgnoreCase("link")) {
                    if (insideItem)
                        links.add(xpp.nextText()); //extract the link of article
                }
            } else if (eventType == XmlPullParser.END_TAG
&& xpp.getName().equalsIgnoreCase("item")) {
                insideItem = false;
            }

            eventType = xpp.next(); //move to next element
        }

    } catch (MalformedURLException e) {
        e.printStackTrace();
    } catch (XmlPullParserException e) {
        e.printStackTrace();
    } catch (IOException e) {
        e.printStackTrace();
    }
}

```

The next step in the project is to work out with two more simple methods – **getInputStream** and **onListItemClick**. We pass the source URL defined in the **getFeeds** method to the **getInputStream** method and this method returns us with the well-formed XML, which we later parse to display within the app. The XML data being pulled from the RSS Feed source need to be bound