

Predefined pipes

There are many predefined or in-built pipes available in Angular 2.0. You can find some of them below with examples.

DatePipe

This pipe is used to format and display a date in a particular format. There are multiple predefined formats available; like, “medium”, “short”, “fullDate” etc. It is also possible to use your own custom format string using “y” as year, “M” as month, “d” as date, “h” as hour, “m” as minute, “s” as second and many more.

```

• import {Component, View} from 'angular2/core';
• @Component({selector: 'date-pipe',})
• @View({template: `
•     <h2>Pipe Example</h2>
•     <h4>1. Today is {{today}}</h4>
•     <h4>2. Today is {{today | date}}</h4>
•     <h4>3. Today is {{today | date:"dd/MM/yyyy"}}</
h4>`})
• export class DatePipe {today = new Date();}

```

The above example shows the use of a date pipe that formats the date first at point 2 in the default format and at point 3 according to the format “dd/MM/yyyy”.

Date pipes find a lot of use while representing and validating date objects from date picker inputs on the UI. Another use case for the date pipe is to format it to the current locale that the browser is set to.

DecimalPipe

This pipe is used to format a number as a text. This API too uses the currently active locale to select the separator and group sizing. You can set a min and max length after the decimal point and a fixed number (or leave it blank for default) for the places before the decimal point.

```

• import {Component, View} from 'angular2/core';
• @Component({
•     selector: 'decimal-pipe',
• })
• @View({template: `
•     <h2>Decimal Pipe Example</h2>

```