

CLI installed on your machine. In case you don't have it, please install it before continuing further. The steps to install Amazon CLI have already been discussed in the introductory chapter.

- Once the AWS CLI is set up, try running the below example command:

```
• >aws polly synthesize-speech \
  --output-format mp3 \
  --voice-id Aditi \
  --text 'Hello, I am Polly.' \
  hello.mp3
```

In the above command, the call to `synthesize-speech` allows you to convert your text into audio. To do this, you provide sample text for the synthesis (`--text`), the voice to use (`--voice-id`), and the output format (`--output-format`). The command saves the resulting audio to the `hello.mp3` file in the current working directory. You can play the resulting `hello.mp3` file to verify the synthesised speech. To get the list of available voices use the `DescribeVoices` operation.

```
• >aws polly describe-voices
```

However, you would likelier need to use Polly from within your application. To do that, Amazon provides Software Development Kits or SDKs in multiple popular programming languages like Java, Python etc that can be used to integrate Polly within your application in minutes.

• AWS SDK for Python

Let us take a look at a sample Python application that uses Polly to convert a text into an mp3 file.

Start off by importing all the required dependencies for the application. These include `Session` class from `boto3` and `contextlib` from `closing`.

```
• from boto3 import Session
from botocore.exceptions import BotoCoreError, ClientError
from contextlib import closing
import os
import sys
import subprocess
from tempfile import gettempdir
```