

- LineageOS 14.1-15.1: OpenJDK 1.8 (install `openjdk-8-jdk`)
 - LineageOS 11.0-13.0: OpenJDK 1.7 (install `openjdk-7-jdk`)*
- * Ubuntu 16.04 and newer do not have OpenJDK 1.7 in the standard package repositories. See the Ask Ubuntu question “How do I install `openjdk-7` on Ubuntu 16.04 or higher?”. Note that the suggestion to use PPA `openjdk-r` is outdated (the PPA has never updated their offering of `openjdk-7-jdk`, so it lacks security fixes); skip that answer even if it is the most upvoted.

Create the directories

You'll need to set up some directories in your build environment.

To create them:

- `mkdir -p ~/bin`
- `mkdir -p ~/android/lineage`

The `~/bin` directory will contain the `git-repo` tool (commonly named “repo”) and the `~/android/lineage` directory will contain the source code of LineageOS.

Install the repo command

Enter the following to download the `repo` binary and make it executable (runnable):

- `curl https://storage.googleapis.com/git-repo-downloads/repo`
- > `~/bin/repo`
- `chmod a+x ~/bin/repo`

Put the `~/bin` directory in your path of execution

In recent versions of Ubuntu, `~/bin` should already be in your `PATH`. You can check this by opening `~/.profile` with a text editor and verifying the following code exists (add it if it is missing):

- `# set PATH so it includes user's private bin if it exists`
- `if [ -d "$HOME/bin" ] ; then`
- `PATH="$HOME/bin:$PATH"`
- `fi`

Then, run `source ~/.profile` to update your environment.

Initialize the LineageOS source repository

The following branches are officially supported for the OnePlus 3 / 3T: