

- `curl https://storage.googleapis.com/git-repo-downloads/repo`
- > `~/bin/repo`
- `chmod a+x ~/bin/repo`

Put the ~/bin directory in your path of execution

In recent versions of Ubuntu, ~/bin should already be in your PATH. You can check this by opening ~/.profile with a text editor and verifying the following code exists (add it if it is missing):

- `# set PATH so it includes user's private bin if it exists`
- `if [ -d "$HOME/bin" ] ; then`
- `PATH="$HOME/bin:$PATH"`
- `fi`

Then, run `source ~/.profile` to update your environment.

Initialize the LineageOS source repository

The following branches are officially supported for the OnePlus 2:

- `cm-14.1`
- `lineage-15.1`

Enter the following to initialize the repository:

- `cd ~/android/lineage`
- `repo init -u https://github.com/LineageOS/android.git -b lineage-15.1`

NOTE

You only need to do these steps once. If you have already prepared your build environment and downloaded the source code, skip to Prepare the device-specific code

Download the source code

To start the download of the source code to your computer, type the following:

- `repo sync`

The LineageOS manifests include a sensible default configuration for repo, which we strongly suggest you use (i.e. don't add any options to sync). For refer-

TIP

The repo sync command is used to update the latest source code from LineageOS and Google. It is a good practice to do it every few days to keep your code base fresh and up-to-date.