

```

• <com.google.ar.sceneform.SceneView
•     android:id="@+id/scene_view"
•     android:layout_width="match_parent"
•     android:layout_height="match_parent"
•     android:background="@color/deep_teal"/>

```

ARCore Setup Code

Set the camera to your desired position by inputting the code:

```

• Camera camera = sceneView.getScene().getCamera();
• camera.setLocalRotation(Quaternion.axisAngle(Vector3.
right(), -30.0f));
• scene.addOnPeekTouchListener().

```

Load the `HelloSceneformActivity.java` in the `HelloSceneform` sample app and start working on creating custom nodes for the scene.

There are two ways to create an animation in the sample scene – by using `ObjectAnimator` or by creating a custom node class using `onUpdate()`. Here's an example using the intensity function:

```

• final int durationInMilliseconds = 1000;
• final float minimumIntensity = 1000.0f;
• final float maximumIntensity = 3000.0f;
• ValueAnimator intensityAnimator =
•     ObjectAnimator.ofFloat(
•         spotlightNode.getLight(), "intensity", minimum-
mIntensity, maximumIntensity);
• intensityAnimator.setDuration(durationInMilliseconds);
• intensityAnimator.setRepeatCount(ValueAnimator.INFI-
NITE);
• intensityAnimator.setRepeatMode(ValueAnimator.
REVERSE);
• intensityAnimator.start();

```

Then override the node's `onUpdate()` from frame to frame to complete the scene. The following is an example of the `solarsystem` example inputted in the Android SDK.

```

• @Override
• public void onUpdate(FrameTime frameTime) {
•     Vector3 cameraPosition = getScene().getCamera().get-

```