

Image Marking In ARKit

IMAGE MARKING FOR ARKIT

First, enable image detection in the Xcode environment. It is an add-on feature for tracking any AR session.

- To enable it, load one or more ARReferenceImage resources from your app's asset catalogue.
- Create a code that acts as the world-tracking configuration and pass the reference images to XCode's detection Images property.
- First create a run method to create a session with the configuration.

```
• guard let referenceImages = ARReferenceImage.  
referenceImages(inGroupNamed: "AR Resources", bundle:  
nil) else {  
•     fatalError("Missing expected asset catalog  
resources.")  
• }  
• let configuration = ARWorldTrackingConfiguration()  
• configuration.detectionImages = referenceImages  
• session.run(configuration, options: [.resetTracking,  
.removeExistingAnchors])
```

To visualize the detection results, the session will automatically add a corresponding ARImageAnchor to all the list of anchors.

You can respond to the images being recognized by implementing the code for ARSessionDelegate, ARSKViewDelegate, or ARSCNViewDelegate methods that reports the new anchors.

```
• guard let imageAnchor = anchor as? ARImageAnchor else  
{ return }  
• let referenceImage = imageAnchor.referenceImage  
• updateQueue.async {  
•     // Create a plane to visualize the initial  
position of the detected image.  
•     let plane = SCNPlane(width: referenceImage.physi-  
calSize.width,  
•                             height: referenceImage.physi-  
calSize.height)  
•     let planeNode = SCNNode(geometry: plane)  
•     planeNode.opacity = 0.25  
•     /*
```