

up to the bottom of the chest area. Checking back on the inspector, we can see we now have “bone0.01” selected, so change it to “spine”. From here on, we’ll always change names of the bones for suitability so keep this in mind.

Step 6: Moving further up, we need three more bones for the straight line formed by the Chest, Neck and Head. Unless your base model isn’t excessively deformed, keep going straight up for these bones, for instance, the head would pretty much be just one big straight rod going through the skull.



A single bone can represent the skull.

Step 7: Now we move on to the arms. Like before, here we need to centre the cursor to spawn the rig at the centre of the arms except that this time, there is nothing really for the cursor to latch on to making it trickier than before. The only way to go about this is to take a safe assumption of where the shoulders should start at and move along with course correction as and when necessary. As a general heuristic for most models, eyeballed shoulder placement is preferred and works perfectly even for complex models if distances between the different parts can be accurately estimated, but that’s beyond the scope of this tutorial.

Left click where you want the cursor on the right shoulder to begin taking note of the fact that the shoulder bone works more of as a collar-bone in animation and so some space must be left before the start of the arm — Press shift+a to insert a bone at the cursor’s location. Now to rotate the bone and move it into place, press r and then -90 to rotate it flat ninety degrees and then press 7. Then try to move the bone as close as possible to