

```
[root@localhost ~]# telnet geekflare.com 443
Trying 162.159.244.243...
Connected to geekflare.com.
Escape character is '^]'.
```

Netstat command

With the help of this command, you will be able to review the network connections and number of open sockets in your network. Especially when you are troubleshooting the web server, the NETSET command with output is extremely beneficial.

W command

While troubleshooting, this command will help you print the entire summary of your recent activity over the system. Every user performing the activities across multiple systems can get a print of it.

Troubleshooting regarding the Linux boot with GRUB

On the single interface (presence of only 1 operating system), get to know the troubleshooting boot with GRUB.

Generally, GRUB is installed by default in the systems which can automatically detect the operating system present in your device. Before troubleshooting Linux, boot reminds you that in some cases it is not possible to troubleshoot perfectly, but with the help of the right description you can at least make attempts. In order to troubleshoot the Linux boot with the help of GRUB all you need primarily is a live CD. Now you have to boot from the CD disc and wait for a while.

In the next process, you have to alert the terminal and perform some command line steps. Now clearly follow the below-mentioned steps-

- You have to type `sudo grub`, it will provide you a GRUB prompt.
- This will enable you to accept the significant commands of GRUB
- Now you have to type [find/boot/grub/ stage1](#).
- This command will return the file location on the hard disc
- You have to utilise the location obtained from the above step and follow the command `root(hdX, Y)`
- Now you have to follow the command `setup(hd0)`
- You can now type `quit` to exit