

```
[(subpartition_definition [, subpartition_definition] ...)]
```

subpartition_definition:

```
SUBPARTITION logical_name
  [[STORAGE] ENGINE [=] engine_name]
  [COMMENT [=] 'comment_text' ]
  [DATA DIRECTORY [=] 'data_dir']
  [INDEX DIRECTORY [=] 'index_dir']
  [MAX_ROWS [=] max_number_of_rows]
  [MIN_ROWS [=] min_number_of_rows]
  [TABLESPACE [=] tablespace_name]
  [NODEGROUP [=] node_group_id]
```

select_statement:

```
[IGNORE | REPLACE] [AS] SELECT ... (Some valid
select statement)
```

Here is a simple MySQL Statement for Creating a table.

```
CREATE TABLE contacts
( contact_id INT(11) NOT NULL AUTO_INCREMENT,
  last_name VARCHAR(30) NOT NULL,
  first_name VARCHAR(25),
  birthday DATE,
  CONSTRAINT contacts_pk PRIMARY KEY (contact_id));
```

The above given example will create a table with four columns and one primary key respectively.

MySQL Select Statement

Select statement in MySQL is used to retrieve specific records from any given single or multiple tables in the database.

Generally, the MySQL Select Statement is:

```
SELECT expressions
FROM tables
[WHERE conditions];
```

Though, the complete syntax in MySQL Select Statement is given by:

```
SELECT [ ALL | DISTINCT | DISTINCTROW ]
      [ HIGH_PRIORITY ]
      [ STRAIGHT_JOIN ]
      [ SQL_SMALL_RESULT | SQL_BIG_RESULT ] [ SQL_
```