

MySQL COUNT() Function

COUNT() Function is used to return the count of given columns or an expression. So, when there is a need to count specific records in any database table then the COUNT() function is used to get the desired results. In case there are no matching records or rows then we get 0 value. The basic syntax is:

```
SELECT COUNT (column_name)
FROM table_name
[WHERE conditions];
```

Parameters for this COUNT function include:

- **column_name:** Main value of the column name we are looking to count.
- **table_name:** Table of the database from which records are to be retrieved.
- **WHERE conditions:** Optional and whose conditions the query must match to get the result.

Example:

```
SELECT COUNT (first_name)
FROM racers;
```

In a database table racers with first_name values. This query will count the number of rows available in the column name (first_name) from a given database table racers.

MySQL SUM() Function

The SUM() function is used to get the sum of any number of given columns. In case there are no rows, the MySQL SUM() function will return in NULL.

```
SELECT SUM (column_name)
FROM table_name
[WHERE conditions];
```

Parameters:

- **column_name:** Main value of the column name you want to SUM for.
- **table_name:** Main table name of the database from which records are to be retrieved.
- **WHERE conditions:** Optional values that add specific conditions for query results

Example:

```
SELECT SUM (working_hours) AS "fullHours"
FROM employees
WHERE working_hours > 9;
```