

PUB_NAME	COUNTRY	PUB_CITY	ESTD
Jex Max Publication	USA	New York	1969-12-25
New Harrold Publication	Australia	Adelaide	1975-09-05
Mountain Publication.	USA	Houstan	1975-01-01

3 rows in set (0.01 sec)

MySQL CASE Operator

In MySQL, the CASE statement is applied based on a complex conditional construct for a specific stored program.

```
CASE value WHEN [compare_value] THEN result
[WHEN [compare_value] THEN result ...]
[ELSE result]
END
OR
CASE WHEN [condition] THEN result
[WHEN [condition]
THEN result ...]
[ELSE result]
END
```

Important points:

- The first syntax is used for returning results where value=compare_value
- The second Syntax then returns results for the first condition that is specifically true.

To understand the CASE operator we are taking an example for CASE is 1 so 'this is case one' is the return value.

```
SELECT CASE 1 WHEN 1 THEN 'this is case one'
WHEN 2 THEN 'this is case two'
ELSE 'this is not in the case'
END as 'how to execute case statement';
```

Output Statements will be:

```
mysql> SELECT CASE 1 WHEN 1 THEN 'this is case one'
-> WHEN 2 THEN 'this is case two'
-> ELSE 'this is not in the case'
-> END as 'how to execute case statement';
+-----+
| how to execute case statement |
```