

```
ON table1.column = table2.  
column;
```

Here is a graphical representation of MySQL Right Join with shaded area.

A practical example of MySQL Right Join. We are given two specific tables with supplier and order table with some matching data values. We




Image depicting MySQL Right Join in the shaded area

are going to run MySQL Right join to get matching results thereafter. In a case there are missing values as per the query then the result is displayed as <null> value. Here is the supplier table with supplier_id and supplier_name fields.

SUPPLIER_ID	SUPPLIER_NAME
90000	IBM
90001	Hewlett Packard

This is the order table with order_id, supplier_id, and order_date respectively.

ORDER_ID	SUPPLIER_ID	ORDER_DATE
500151	90000	2019/11/22
500152	90001	2019/11/23
500153	90004	2019/11/24

Here we are going to run MySQL Right Join with select command.

```
SELECT orders.order_id, orders.order_date, suppliers.supplier_name  
FROM suppliers  
RIGHT JOIN orders  
ON suppliers.supplier_id = orders.supplier_id;
```

The result is the following:

ORDER_ID	ORDER_DATE	SUPPLIER_NAME
500151	2019/11/22	IBM
500152	2019/11/23	Hewlett Packard
500153	2019/11/24	<null>

As the values of supplier_id are matched from both tables, we see that IBM and Hewlett Packard are matched using the MySQL Right Join statement. But when there is no particular information then it displays <null> value.