

properties throughout the blueprint workflow depending on their usage at the precise location.

Graph Types

- Event Graphs
 - Construction Script
 - Functions
 - Macros
- **Event Graphs:** They are the most common type of Blueprint graph as whenever a blueprint class is called, it will contain one Event Graph. Many Event graphs can be added for organising the whole blueprint network as per the event requirements in the Game environment. They contain the gameplay behaviour in the blueprint, by using event, input nodes, and Custom Events as per the workflow of the execution inside the Event Graph.
 - **Construction Script:** As the instance of Blueprint Classes is created, a construction script thereafter runs following the components list. This construction Script has a node graph that helps the Blueprint Class with performing the initial operation. Sometimes, these are quite helpful for setting up meshes and materials to get early context-specific setup for a blueprint to perform. For example, a light blueprint determines the type of ground and then selects the proper mesh covering the whole area.
 - **Function:** These are the specific node graphs inside the part of a blueprint that can be called or executed from inside or outside of any blueprint respectively. They are used mainly as communication inside the Blueprint. Functions are defined with a single entry point or input and a single output pin. We will study them in detail later.

Graph Mode

There is a special Graph mode in the Blueprint Editor where you can make specific changes in any node. Each graph may contain several networks of Nodes that are connected with Wires and make changes on any node for making the flow smooth of the game.

Variables

Variables are the special attributes or properties for Actors or objects in the game environment. Local variables are accessible internally within