



The timer is implemented at the top of the screen.

ibly distracting. Make sure the Gravity is set to zero in the Rigid Body 2D component though, if you are doing something like this.

Copy the `UserInterface Prefab` into the `racer` folder, and change its name to `UserInterface_Racer`. In the `UI Script Component`, make sure that the `Number of players` is `One player`, and the `Game type` is `Score`. Now, we need to add a timer, to urge the player on, and so that they can also improve their timing in each run. To do this, we will be using our first script. Double click on the `UserInterface_Racer Prefab`. Right click in the `Hierarchy` panel, and select `UI > Text`. A `Canvas GameObject` will be created automatically. Change the `Font` to `Varela`, which is used by the `UserInterface Prefab`. Change the colour to white, and add the `Shadow Component` so that the timer matches with the rest of the UI. In the `Text` component, change the horizontal and vertical alignment to center. In the `Rect Transform` component, change the `Width` and `Height` to `600` and `120`. This ensures that there is enough space available for the timer to render. If the text is larger than these dimensions, it simply will not show up on screen. Change the `Y` position till the text is along the top edge of the screen (`315` is the value that worked for us). Change the font size to `50`.

In the `Project` panel, right click and create a new `C#` script, and name it `timerscript`. Right click and edit the script. Some of the lines of the script will already be there, you just need to add six lines to it.

- `using System.Collections;`
- `using System.Collections.Generic;`