

PC to determine the possible cause for the slow down. For example, if you have multiple users logged on to your computer with multiple programs used in different accounts, then it will ask you to close them.

You can access the performance troubleshooter from the control panel. Open the start button, click on the windows system and go to the 'windows system', then click on the 'control panel'—type 'troubleshooting' on the search box. Then click on 'check for performance issues' in the 'system and security' tab.

Defragment your hard drive

The files in our system comprise of tiny bits of information dispersed across the drive. Windows reads these files as small fragments and stores them in clusters on the hard drive. Windows has full knowledge about the right location of each fragment and how to accumulate all fragments to form a full file. When you use the same cluster of a disk space repeatedly by deleting and saving files, it creates file fragmentation. As a result, whenever you open a file, the hard drive puts in more effort to access these scattered fragments. Hence, fragmented files may take longer to open.

Through defragmentation, you can assemble free space into a single block and file fragments into another, enabling you to access your files quicker.

How to defragment a hard disk?

1. Click on the 'start' button, then go to the control panel, click on the 'system and security' option.
2. Then go to the 'administrative tools' section and click 'defragment your hard drive' option. Once the box appears, click on the 'Analyze disk' button.



Source: <https://www.maketecheasier.com/assets/uploads/2016/12/Defrag-Explain-Featured.jpg>