

- Mem: 513712 503976 9736 0 5312 122916
- -/+ buffers/cache: 375748 137964
- Swap: 1052248 104712 947536

How to close a terminal?

Even if you do not run the terminal, there will be virtual consoles working in the background. One can switch between these virtual consoles using 'CtrlAlt-F1' through 'Ctrl-Alt-F6'. For ending the console, you can either close the terminal window or type:

- `[me@linuxbox ~]$ exit`

Before you exit, do not forget about the configuring of hidden folders. The hidden folders are nothing but a filename beginning with '.' dot.

Example:

- `cd /tmp/tutorial`
- `ls`
- `mv combined.txt .combined.txt`
- `ls`
- You can still use the hiddle file for manipulations in the following way
- `cat .combined.txt`
- `mkdir .hidden`
- `mv .combined.txt .hidden`
- `less .hidden/.combined.txt`
-
- you can see the content as a single file
- `ls`
- `ls -a`
- `ls .hidden`
- `ls -a .hidden`

To clean the temporary memory, you will need to run the following commands:

- `rm -r /tmp/tutorial`
- `ls /tmp`

Customising command prompt

The message of the day (MOTD) can be customised by the user; this MOTD is nothing but a piece of information about the version of the Linux distribution.

- `tommy@webapp:~$`

Here's what each part means

- Tommy – username