


CHAPTER #06



```
root@localhost:~/Lesson4# ls
dataA2.current  dataA3.old      fileA1.orig     fileC3.current  match2b
dataA2.old      dataA3.orig     fileA2.current  fileC3.old      matchab
dataA3.orig     fileA1.current  fileA2.old      fileC3.orig     matchabc
dataA3.current  fileA1.old      fileA2.orig     fileC3.temp     matchtemp
dataA3.old      fileA1.orig     fileA3.current  index.html      originals
dataA3.orig     fileA2.current  fileA3.old      match1          sample1.tar
dataA1.current  fileA2.old      fileA3.orig     match11         samples
dataC1.old      fileA2.orig     fileC1.current  match111        sample1.tar
dataC1.orig     fileA3.current  fileC1.old      match1a         sample1.tar.1
dataC2.current  fileA3.old      fileC1.orig     match1b         sample.tar
dataC2.old      fileA3.orig     fileC2.current  match2          sample.tar
dataC2.orig     fileB1.current  fileC2.old      match22
dataC3.current  fileB1.old      fileC2.orig     match2a

root@localhost:~/Lesson4# ls *old
dataB1.old  dataC1.old  fileA1.old  fileB1.old  fileC1.old
dataA2.old  dataC2.old  fileA2.old  fileB2.old  fileC2.old
dataA3.old  dataC3.old  fileA3.old  fileB3.old  fileC3.old

root@localhost:~/Lesson4# cp *old data
root@localhost:~/Lesson4# echo cp *old data
cp dataA2.old dataA3.old dataB1.old dataB3.old dataB3.old dataC1.old dataC2.old dataC3.
old dataA2.old fileA1.old fileA2.old fileB2.old fileB3.old fileC1.old fileC2.old fileC3.old da
ta

root@localhost:~/Lesson4#
```

Expansion in Linux

Learn about the various different types of expansions Linux has to offer

While working in Linux you may be stuck in a situation where the file contains lots of tabs but the performance of any action mandates not tabs but spaces. Expansion in Linux refers to the preprocessing of the character files so that doubt can resonate with input and those characters can be easily expanded to the space characters.

Listed below are the various facets of expansion in Linux –

Pathname expansion – Filename generation is commonly known as pathname expansion and it refers to a mechanism through which wildcard can work efficiently. This method saves time with commands and enables you to